

# HT 210R TOPCon

## Bifacial Series Full Black

# 445~465W



### Main Features

#### N-TYPE TOPCON TECH

- Lower LID
- Excellent Low Irradiance

#### SMBB + NON-DESTRUCTIVE CUTTING

- Reduced Internal Current Loss
- Minimized Micro-Crack Impact

#### HIGH RELIABILITY

- Salt Mist Resistance, Ammonia Resistance
- Sand & Dust Resistance
- Anti-PID

#### HIGH CONVERSION EFFICIENCY

- Up to 23.3%
- Bifaciality Rate Up to 80±5%

#### SUPERIOR POWER GENERATION PERFORMANCE


- Lower Operating Temperature

#### LOWER LEVELIZED COST OF ELECTRICITY

- Lower BOS and LCOE
- Higher ROI

### Comprehensive Products and System Certifications

- ISO 9001 2015
- ISO 14001 2015
- ISO 45001 2018



**30** YEAR  
Product Workmanship Warranty

**30** YEAR  
Linear Power Warranty

**1%**  
First - year power attenuation

**0.4%**  
Linear power attenuation



**HONGYUAN GREEN ENERGY CO.,LTD.**  
© HONGYUAN GREEN ENERGY CO.,LTD. all rights reserved.  
The product specifications are subject to change without prior notice.  
Please use our latest version.

Group Headquarter: Building 7, Changguangxi Wetland Park, Lihu Avenue, Binhu District, Wuxi City, Jiangsu Province, China

Tel:

E-mail: [info@hysolar.com](mailto:info@hysolar.com)

Web: <https://www.hysolar.com>

